




| REVISION HISTORY |             |            |
|------------------|-------------|------------|
| REV              | DESCRIPTION | DATE       |
| 1a               |             | 10/10/2018 |


|   |                                       |                                     |   |                  |
|---|---------------------------------------|-------------------------------------|---|------------------|
| DESIGNED BY<br>F.Dino   | CHECKED AND APPROVED BY<br>L. Paleari | GENERAL TOLERANCE<br>SS-ISO-2768-1M | DATE<br>10/10/2018                      | CODE<br>T611200B |
|   |                                       |                                     | PACKAGING<br>Carton 1 piece             | UNIT<br>mm       |
|   |                                       |                                     | DESCRIPTION                             | SHEET<br>1 of 4  |
|   |                                       |                                     | MATERIAL<br>Anodise aluminum alloy 6060 |                  |
| DEVICE  |                                       |                                     | PAIR WEIGHT<br>10,6 Kg                  |                  |
| Property of RAM Industrie.<br>Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. |                                       |                                     |   |                  |



|   |                                       |                                     |   |                  |
|---|---------------------------------------|-------------------------------------|---|------------------|
| DESIGNED BY<br>F.Dino   | CHECKED AND APPROVED BY<br>L. Paleari | GENERAL TOLERANCE<br>SS-ISO-2768-1M | DATE<br>10/10/2018                      | CODE<br>T611200B |
|   |                                       | PACKAGING<br>Carton 1 piece         | UNIT<br>mm                              | SHEET<br>2 of 4  |
|   |                                       | DESCRIPTION                         | MATERIAL<br>Anodise aluminum alloy 6060 |                  |
|   |                                       | DEVICE                              | PAIR WEIGHT<br>10,6 Kg                  |                  |
| Property of RAM Industrie.<br>Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. |                                       |                                     |   |                  |





D ( 1 : 5 )



Locking screw knob

| REVISION HISTORY |             |            |
|------------------|-------------|------------|
| REV              | DESCRIPTION | DATE       |
| 1a               |             | 10/10/2018 |

|   |                                       |                                     |   |                  |
|---|---------------------------------------|-------------------------------------|---|------------------|
| DESIGNED BY<br>F.Dino   | CHECKED AND APPROVED BY<br>L. Paleari | GENERAL TOLERANCE<br>SS-ISO-2768-1M | DATE<br>10/10/2018                      | CODE<br>T611200B |
|    |                                       | PACKAGING<br>Carton 1 piece         | UNIT<br>mm                              | SHEET<br>3 of 4  |
|   |                                       | DESCRIPTION                         | MATERIAL<br>Anodise aluminum alloy 6060 |                  |
|   |                                       | DEVICE                              | PAIR WEIGHT<br>10,6 Kg                  |                  |
| Property of RAM Industrie.<br>Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. |                                       |                                     |   |                  |



|   |                                       |                                     |   |                  |
|---|---------------------------------------|-------------------------------------|---|------------------|
| DESIGNED BY<br>F.Dino   | CHECKED AND APPROVED BY<br>L. Paleari | GENERAL TOLERANCE<br>SS-ISO-2768-1M | DATE<br>10/10/2018                      | CODE<br>T611200B |
| RAM<br>INDUSTRIE  |                                       | PACKAGING<br>Carton 1 piece         | UNIT<br>mm                              | SHEET<br>4 of 4  |
|   |                                       | DESCRIPTION                         | MATERIAL<br>Anodise aluminum alloy 6060 |                  |
|   |                                       | DEVICE                              | PAIR WEIGHT<br>10,6 Kg                  | 02I              |
| Property of RAM Industrie.<br>Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. |                                       |                                     |   |                  |